

1. The diagonal of the rectangle on the left below shows (a blown-up picture of) an infinitesimal displacement from the point  $(x, y)$  to the nearby point  $(x + dx, y + dy)$ .

- Label the rectangle with the lengths of the sides.
- Express the sides of the rectangle indicated by arrows as vectors.  
*Use the unit vectors  $\hat{x}$  and  $\hat{y}$ .*
- The diagonal of this rectangle is the vector differential  $d\vec{r}$ . Express  $d\vec{r}$  in terms of  $\hat{x}$  and  $\hat{y}$ .

**Solution**  $d\vec{r} = dx \hat{x} + dy \hat{y}$

- Find the length  $ds = |d\vec{r}|$  of the diagonal.

**Solution**  $ds = \sqrt{dx^2 + dy^2}$

Missing /var/www/paradigms\_media\_2/media/activity\_media/dr1.png

Missing /var/www/paradigms\_media\_2/media/activity\_media/dr2\_7VcvxdV.png

2. The diagonal of the “rectangle” on the right above shows (a blown-up picture of) the *same* infinitesimal displacement, now expressed in polar coordinates, from the point  $(r, \phi)$  to the nearby point  $(r + dr, \phi + d\phi)$ .

- Label the rectangle with the lengths of the sides. *Careful!*
- Express the sides of the rectangle indicated by arrows as vectors.  
*Use the natural orthonormal basis defined by the picture, that is, let  $\hat{r}$  be the unit vector which points in the direction of increasing  $r$ , and let  $\hat{\phi}$  be the unit vector which points in the direction of increasing  $\phi$ . Do not attempt to express these vectors in terms of  $\hat{x}$  and  $\hat{y}$ ! You do not need to worry about the fact that some sides of the rectangle aren't straight; the rectangle is so small that this error is negligible.*
- The diagonal of this rectangle is again the vector differential  $d\vec{r}$ . Express  $d\vec{r}$  in terms of  $\hat{r}$  and  $\hat{\phi}$ .

**Solution**  $d\vec{r} = dr \hat{r} + r d\phi \hat{\phi}$

- Find the length  $ds = |d\vec{r}|$  of the diagonal.

**Solution**  $ds = \sqrt{dr^2 + r^2 d\phi^2}$